

WHAT IS CLAIMED IS:

1. A navigation apparatus for providing navigation services, comprising:

5 a platform block provided with hardware of the navigation apparatus and basic functions for controlling the hardware;

a navigation application processing block for providing navigation services using the basic functions provided in said platform block;
10 and

an optional application processing block for providing optional services using any of the navigation services based on information acquired using the basic functions of said platform block,
15 by communicating with said navigation application processing block.

2. The navigation apparatus according to claim 1, wherein said optional application processing block is an application executed on a virtual platform and is independent of said platform block.
20

3. The navigation apparatus according to claim 1, wherein said optional application processing block is a Java application executed on a Java virtual machine, and
25

said navigation application processing block communicates with said optional application
30

09764439.011901

processing block in accordance with Java native interface.

4. The navigation apparatus according to claim 1, wherein said navigation application processing block communicates with said optional application processing block using socket communication.

5. A computable readable recording medium storing programs for controlling a computer to operate as a navigation apparatus providing navigation services, the programs allowing a computer to operate as:

a platform block provided with basic functions for controlling hardware of the navigation apparatus;

a navigation application processing block for providing navigation services using the basic functions of the platform block; and

an optional application processing block for providing optional services using any of the navigation services based on information acquired using the basic functions of said platform block, by communicating with said navigation application processing block.

6. A navigation apparatus for providing navigation services, comprising:

a platform block provided with hardware

09764439.01901

of the navigation apparatus and basic functions for controlling the hardware;

a navigation application processing block for providing navigation services using the basic functions provided in said platform block;

an optional application processing block for providing optional services using any of the navigation services based on information acquired using the basic functions of said platform block;

10 and

an interface processing block for communicating with said optional application processing block and said navigation application processing block so as to enable any of the optional services to be executed.

7. The navigation apparatus according to claim 6, wherein said optional application processing block is executed on a virtual platform and is independent of said platform.

8. The navigation apparatus according to claim 6, wherein said optional application processing block is a Java application executed on a Java virtual machine.

9. The navigation apparatus according to claim 6, wherein said interface application block is a Java application executed on a Java virtual machine.

09764439.011901

10. The navigation apparatus according to claim 9, wherein said interface application block is provided with one of a method for exchanging data with said optional application processing block and a member variable in which said optional application processing block reads and writes data, and one of a method for exchanging data with said navigation application processing block and a member variable in which said navigation application processing block reads and writes data.

11. The navigation apparatus according to claim 6, wherein said navigation application processing block executes any of the navigation services in accordance with navigation control data supplied from said optional application processing block via said interface processing block and supplies navigation information data including an interim result or an execution result to said optional application processing block via said interface processing block.

12. The navigation apparatus according to claim 11, wherein said interface processing block generates, when it is determined that the navigation control data from said optional application processing block is composite navigation control data, plural navigation control

05264439-011901

data sets from the composite navigation control data and supplies the plural navigation control data sets to said navigation application processing block.

5

13. The navigation apparatus according to claim 6, wherein said interface processing block communicates with said optional application processing block using socket communication or Java RMI.

10

14. The navigation apparatus according to claim 6, wherein said interface processing block communicates with said navigation application processing block using socket communication.

15

15. The navigation apparatus according to claim 6, wherein said interface processing block acquires a remote optional application processing block from an external source using the basic functions of said platform block.

20

16. The navigation apparatus according to claim 15, wherein said interface processing block acquires the remote optional application processing block from the external source only when a communication service used by the remote optional application processing block is available for use.

25

17. The navigation apparatus according

30

T06T0"6E49'60

to claim 15, wherein said interface processing block displays a menu of remote optional application processing blocks using the basic functions of said platform block, adds to the menu the remote optional application processing block when the remote optional application processing block is acquired from the external source and starts the acquired remote optional application processing block when selected from the menu.

10

18. The navigation apparatus according to claim 6, wherein said optional application processing block supplies a request for required communication services to said interface processing block, and

15

said interface processing block dynamically starts the requested communication services upon receipt of the request.

20

19. The navigation apparatus according to claim 18, wherein said interface processing block acquires a module for executing the requested communication services corresponding to the request when the module is not available.

25

20. The navigation apparatus according to claim 6, wherein said optional application processing block provides collection and delivery information services using any of the navigation services, based on information acquired from a

30

T06T70"6E449/69

predetermined center using the basic functions of
said platform block.

05/04/2011 01:19:01